

FIG. 2




FIG. 3




FIG. 4A





FIG. 4B



C

FIG. 4D




FIG. 4E





FIG. 4F

Shaft at 15 or than, wif that, work is the total radio made order order order order order order order.



o-cresolphthalein complexone

FIG. 6

FIG. 7

- · · · ·




FIG. 8

FIG. 9

$$\begin{array}{c|c} H_2N-R_2-NHtBOC \\\hline 420 \\\hline \end{array}$$

$$\begin{array}{c|c} & & & \\ \hline \\ H_2N-R_3-NHtBOC \\ \hline \\ R_1 \\ \hline \end{array} \begin{array}{c} O \\ H \\ N \\ H \\ H \end{array} \begin{array}{c} N \\ N-R_2-N \\ H \\ H \\ H \end{array} \begin{array}{c} N \\ N-R_3-NH_2 \\ H \\ H \\ \end{array}$$

FIG. 11

FIG. 12

to it is and at the following of the first o

FIG. 13

456

454

FIG. 14

F 20 5




FIG. 15

í

- A

17/69

	RESIN:	Blank	Alizarin	o-Cresol-	Fluorescein	Alizarin-Ce3+
pН	lon	<u> </u>		phthalein	i idorescent	complex
2	none	R S B	R G S B	R G B	R G B	R G
2	Ca <sup>2+</sup>	R G B	R G B	R G B	R S S S S S S S S S S S S S S S S S S S	R G B
7	none	R G B	R G	R G B	R G B	R G B
7	Ca <sup>2+</sup>	ж (3 в	R G B	R G B	ж С С В	R G B
7	F -	R G B	R G B	R G B	R G B	R G B
12	none	R G B	R G B	R G B	R G B	R G B
12	Ca <sup>2+</sup>	R G B	R G B	R G XX B	R [ G 💥 B	R G B
12	F.	R S G S B	R G B	R G G B	R G B	R G B

FIG. 17

The first of the first of the course of the first of the course of the first of the





FIG. 18



**:**IG. 19




FIG. 20




FIG. 21A




FIG. 21B




FIG. 21C





FIG. 21D






FIG. 21F





FIG. 21G






FIG. 22B





FIG. 22C






FIG. 22E




FIG. 22F




FIG. 22G




FIG. 23A




FIG. 23B




FIG. 23C




FIG. 23D




FIG. 23E




FIG. 23F





FIG. 23G






FIG. 24B




FIG. 24C





FIG. 24D







FIG. 25B







FIG. 25D






FIG. 26B






FIG. 26C








FIG. 27A




FIG. 27B





FIG. 27C



6 취 실험 762

FIG. 28A

FIG. 28B








FIG. 28C






a that age governor specific to west to generative to the first the first that the first thad the first that the first that the first that the first that th







## 37/69




FIG. 30A




FIG. 30B




FIG. 30C




FIG. 30D




FIG. 31

. .




FIG. 32





FIG. 33






FIG. 35

4. [17] 1. [17

.....

. مرجد




FIG. 36

1 2 1






FIG. 37







٠:


3

ونجي



## Electronic Tongue Biological Sample Acquisition Prototype 6/2/99










FIG. 45 D




F16.46



F16. 47

F16. 48








FIG. 49




F16.50


FIG. 51




F16. 52





F16. 53



F15.54










FIG. 55D




FIG. 55E





FIG. 55F







FIG. 55G







FIG. 55H







FIG. 551

Fluorescein

FIG. 56

1



6% agarose glyoxalated resin

RSO₂CI

DIEA/DMF

2. NaBH<sub>4</sub>/MeOH

FIG. 57




FIG. 58

Dapoxyl

$$R = \frac{N}{PEG} NH_2$$

FIG. 59




FIG. 60

Guanidinium for anion recognition Tentagel base NH-YO

-PEG-NH

HN Xi

**Fluorophore** attachment site

 $\dot{\mathbf{X_2}}$ Fluorophore

-NH R

Tripeptide arm for selectivity


attachment

sites

2: X<sub>1</sub>=X<sub>2</sub>=H

3: X<sub>1</sub>=

X2=






FIG. 63




FIG. 🐿 64




FIG. 588 65




FIG. 🕬 66




FIG. 67





FIG. 🗱 68






FIG. 50% 704




FIG. 578 70B




FIG. 58% 71A




FIG. 563 713




FIG. 3% 72 A




FIG. 59 72B




FIG. 592 72 C







FIG. 590 729











FIG. 🤧 76

.



F16.77







FIG. 333 791





08 713



F16.81




Figure 4 82